



epsilon[®]





AGRÍCOLA CONVENCIONAL DELANTERA E IMPLEMENTO

DELANTERA F-2



I-1




CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI (LBS)	CAP. CARGA KGS	PROFUNDIDAD DE PISO (in)	(mm)	RIM	LI/SS
WW-11L158	11L-15SL	8	I-1	TL	SI	36	1152	7/32	5.6	8LB/10LB	-
WW-600166	6.00-16	6	F2	TT	SI	52	517	12/32	9.5	5KB/5JA	-
WW-650168	6.50-16	8	F2	TT	SI	61	735	12/32	9.5	4.00 E	-
WW-75016	7.50-16	10	F2	TL	SI	68	860	21/32	16.7	5.5	-
WW-100016	1000-16	10	F2	TL	SI	49	1325	29/32	23	W8L	-
WW-110016	1100-16	10	F2	TT	SI	45	1485	34/32	27	W10L	-
WW-100016FM2	1000-16	10	F2M	TL	SI	49	1325	24/32	19.1	W10L	-



AGRÍCOLA CONVENCIONAL TRASERA


TRASERA R1



CLAVE	MEDIDA	CAPAS	TIPO	CÁMARA	SKU	PSI (LBS)	CAP. CARGA KGS	PROFUNDIDAD DE PISO (in) (mm)		RIM	LI/SS
WW-75016R1	7.50-16	10	R1	TT	SI	48	850	29/32	23	W5/5F	-
WW-83248	8.3-24	8	R-1	TT	SI	45	925	27/32	21.4	W7/W6	-
WW-95248	9.5-24	8	R-1	TT	SI	41	1110	27/32	21.4	W8/W7	-
WW-112248	11.2-24	8	R-1	TT	SI	34	1225	26/32	20.6	W10/W9	-
WW-1492410	14.9-24	10	R1	TT	SI	33	1990	28/32	22.2	W13	-
WW-1692410	16.9-24	10	R1	TT	SI	29	2230	26/32	20.6	W15L/W14L	-
WW-1492610	14.9-26	10	R-1	TT	SI	33	2055	30/32	23.8	W13	-
WW-1842612	18.4-26	12	R-1	TT	SI	33	2985	28/32	22.2	W16L/W15L	-
WW-1122810	11.2-28	10	R-1	TT	SI	44	1485	32/32	25	W10/W9	-
WW-1362810	13.6-28	10	R-1	TT	SI	36	1696	34/32	27	W12/W11	-
WW-1492812	14.9-28	12	R-1	TT	SI	40	2325	38/32	30.2	W13/W12	-
WW-1692810	16.9-28	10	R-1	TT	SI	29	2380	36/32	23	W15L/W14L	-
WW-1693012	16.9-30	12	R-1	TT	SI	33	2500	41/32	32.5	W15L/W14L	-
WW-1843012	18.4-30	12	R-1	TT	SI	33	3180	47/32	37.3	W16L/W15L	-
WW-1693412	16.9-34	12	R1	TT	SI	35	2895	29/32	23	W15L/W14L	-
WW-1843412	18.4-34	12	R-1	TT	SI	33	3375	45/32	35.7	W16L/W15L	-
WW-1123810	11.2-38	10	R1	TT	SI	46	1640	42/32	33.3	W10/W9	-
WW-13663810	13.6-38	10	R-1	TT	SI	37	1910	46/32	36.5	W12/W11	-
WW-1553812	15.5-38	12	R-1	TT	SI	38	2600	43/32	34.1	W14	-
WW-1843812	18.4-38	12	R1	TT	SI	33	3575	47/32	37.3	W16L/W15L	-
WW2083812	20.8-38	12	R1	TT	SI	29	4000	49/32	38.9	W18L	-



LOAD INDEX LOAD KG		LOAD INDEX LOAD KG		LOAD INDEX LOAD KG		LOAD INDEX LOAD KG	
50	190	90	600	130	1900	170	6000
51	195	91	615	131	1950	171	6150
52	200	92	630	132	2000	172	6300
53	206	93	650	133	2060	173	6500
54	212	94	670	134	2120	174	6700
55	218	95	690	135	2180	175	6900
56	224	96	710	136	2240	176	7100
57	230	97	730	137	2300	177	7300
58	236	98	750	138	2360	178	7500
59	243	99	775	139	2430	179	7750
60	250	100	800	140	2500	180	8000
61	257	101	825	141	2575	181	8250
62	265	102	850	142	2650	182	8500
63	272	103	875	143	2725	183	8750
64	280	104	900	144	2800	184	9000
65	290	105	925	145	2900	185	9250
66	300	106	950	146	3000	186	9500
67	307	107	975	147	3075	187	9750
68	315	108	1000	148	3150	188	10000
69	325	109	1030	149	3250	189	10300
70	335	110	1060	150	3350	190	10600
71	345	111	1090	151	3450	191	10900
72	355	112	1120	152	3550	192	11200
73	365	113	1150	153	3650	193	11500
74	375	114	1180	154	3750	194	11800
75	387	115	1215	155	3875	195	12150
76	400	116	1250	156	4000	196	12500
77	412	117	1285	157	4125	197	12850
78	425	118	1320	158	4250	198	13200
79	437	119	1360	159	4375	199	13600
80	450	120	1400	160	4500	200	14000
81	462	121	1450	161	4625	201	14500
82	475	122	1500	162	4750	202	15000
83	487	123	1550	163	4875	203	15500
84	500	124	1600	164	5000	204	16000
85	515	125	1650	165	5150	205	16500
86	530	126	1700	166	5300	206	17000
87	545	127	1750	167	5450	207	17500
88	560	128	1800	168	5600	208	18000
89	580	129	1850	169	5800	209	18500

 **SPEED**

KM / H

A2 | A4 | A6 | A8 | B | C | D | E | F | G | J | K |

10 | 20 | 30 | 40 | 50 | 60 | 65 | 70 | 80 | 90 | 100 | 110 |